

**From:** [Marie Doty](#)  
**To:** [Rita Engblom](#)  
**Subject:** Re: Gulfco AM  
**Date:** 09/13/2010 11:17 AM

---

You are right. I do have the latest version of the AM because this is ready to sign. Waiting on Susan to make any adjustments. What are all those attachments? Are they for the AR?

Marie R. Doty 6SF-PR/SEE  
U.S. Environmental Protection Agency  
Superfund Prevention and Response Branch  
1445 Ross Avenue  
Dallas, TX 75202-2733  
214-665-7366 (Office phone)  
214-665-6660 (Fax) or 214-665-7447

▼ [Rita Engblom---09/13/2010 10:41:35 AM---Here is the last AM version I have - I think probably you would have the latest since you always che](#)

**From:** Rita Engblom/R6/USEPA/US  
**To:** Marie Doty/R6/USEPA/US@EPA  
**Date:** 09/13/2010 10:41 AM  
**Subject:** Gulfco AM

---

Here is the last AM version I have - I think probably you would have the latest since you always check for editing/typo issues before you print.

[attachment "GulfcoTanksAM2.doc" deleted by Marie Doty/R6/USEPA/US]

[attachment "Attachment4DrainagePathway.pdf" deleted by Marie Doty/R6/USEPA/US] [attachment "Attachment1SiteLocation.pdf" deleted by Marie Doty/R6/USEPA/US] [attachment "Attachment2SiteSketch.pdf" deleted by Marie Doty/R6/USEPA/US] [attachment "Attachment3Benzene.pdf" deleted by Marie Doty/R6/USEPA/US] [attachment "Attachment3chloroform.pdf" deleted by Marie Doty/R6/USEPA/US] [attachment "Attachment3PCE.pdf" deleted by Marie Doty/R6/USEPA/US] [attachment "Attachment3TCE.pdf" deleted by Marie Doty/R6/USEPA/US]

---

Rita Engblom  
1445 Ross Avenue (6SF-PR)  
Dallas, TX 75202

214-665-8341 (work)  
214-789-2302 (cell)  
214-665-7447 (fax)